

	Type	Hits	Search Text	DBs
1	BRS	372	EJB and legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	188	S1 and J2EE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	7	S2 and (ejb near2 map\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	8	S2 and (ejb near3 map\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	20	S5 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	4	S6 and BMP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	22	S2 and (ejb near5 map\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	0	ejb near3 map\$ near3 legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
9	BRS	0	ejb near5 map\$ near5 legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	0	(bean near5 map\$ near5 legacy) and ejb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	2	(map\$ near5 legacy) and ejb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	4	(map\$ near3 ejb) and BMP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	3	S13 and ejb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	5	"persistent data cache"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	151	cache and context and ejb and legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	73467	S15 and entity or session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
17	BRS	132	S15 and (entity or session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	3	S17 and "context definition"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	4	("context definition" near2 map\$) and ejb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



Web Images Groups News Froogle Local^{New!} more »

mapping EJB to legacy application

Search

Advanced Search
Preferences

"to" is a very common word and was not included in your search. [\[details\]](#)

Web

Results 31 - 40 of about 114,000 for mapping EJB to legacy application. (0.10 second)

[\[PDF\] Fiorano Business Integration Suite](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... J2EE. • .NET. • **Legacy Applications**. Works with your existing. Messaging Middleware.
• MQ Series ... tools for **mapping** different data types (and XML ...

www.fiorano.com/whitepapers/fiorano_bis_brochure.pdf - [Similar pages](#)

[\[PDF\] Model Driven Architecture: Three Years On Richard Mark Soley, Ph.D ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Focus on integrating **legacy applications**. • Ensure smooth integration of COTS

... Java/**EJB**. XML/SOAP. Other. Other. Model. **Map PSM to application** ...

modeldrivenarchitecture.esi.es/pdf/soley.pdf - [Similar pages](#)

[\[PDF\] Enterprise Legacy Integrator and Adapters](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Easily open mainframe programs to J2EE, .NET, and/or Web service **applications**

... but also allowing **legacy**. programs to consume .NET, J2EE or Web ...

www1.softwareag.com/Corporate/Images/XMLiLegacyIntegratorFS_tcm16-8110.pdf - [Similar pages](#)

[EAI Integration - Application Web](#)

... Users can integrate **legacy applications** and data into web **applications**. ...

and supporting full **mapping** between XML documents and existing **applications** ...

eai.ittoolbox.com/nav/t.asp?t=371&p=371&h1=371 - 36k - Mar 28, 2005 - [Cached](#) - [Similar pages](#)

[\[doc\] A Technical Framework to Support e-Learning](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... processes and **map** those to both **Application** Services and User Agents. ...

that interface into messages that are understood by the **legacy application**. ...

www.jisc.ac.uk/uploaded_documents/Technical%20Framework9-10-03.doc - [Similar pages](#)

[\[PPT\] www.ebxml.org/presentations/sun_netwk_conf_10182002.ppt](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... **Legacy**. - COTS. - Etc. Primarily Design, Develop Time. Find. **Mapping** ...

Legacy. Apps. J2EE **Application** Server Container. Orchestration Services ...

[Similar pages](#)

[Legacy Integration for Service Oriented Architecture](#)

... forms a "shock absorption layer" between **legacy applications** and Web-era J2EE

and Transidiom communicates to the host using host field **mapping**. ...

www.seagullsoftware.com/products/transidiom.html - 101k - Mar 28, 2005 - [Cached](#) - [Similar pages](#)

[WebSphere Journal](#)

... (XREF) table in a DB2 database that contains this **legacy system mapping**. ...

to support messaging between a J2EE **application** and a **legacy application**; ...

www.sys-con.com/story/?storyid=43416&de=1 - 58k - [Cached](#) - [Similar pages](#)

[Develop n-tier applications using J2EE](#)

... Using J2EE to develop n-tier **applications** involves breaking apart the ...

which Java can be used to integrate your new **application** with **legacy** systems. ...

www.javaworld.com/javaworld/jw-12-2000/jw-1201-weblogic.html - [Similar pages](#)

Using DataDirect Connect for JDBC Resource Adapters: JDBC Topics ...

... J2EE Connector Architecture resource adapters are used by **application** servers

... or **legacy applications** not written in the Java® programming language. ...

www.datadirect.com/developer/jdbc/topics/resadapters/index.ssp - 31k - Mar 28, 2005 - [Cached](#) - [Similar pages](#)

◀ Goooooooooooooooooole ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

mapping EJB to legacy application

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google